

Geographic Response Strategy Red Brook Harbor System BB31						
Tactic #	Purpose	Response Equipment	Deployment Resources	Deployment Notes		
DV-01a	Redirect spilled oil from one location or direction of travel to a specific site for recovery.	800 ft protected water boom 4 marine anchor system 1 shoreline anchor system Testing Date	2 shore responders 1 response boats 3 boat responders N Tested	Tend through tidal changes. Deploy boom as depicted to divert incoming oil to the collection site. Anchor every 200-300'. Adjust angle as necessary to reduce entrainment. Set up shoreside recovery and tend throughout tide. Deploy shoreside anchor first.		
DV-01b	Redirect spilled oil from one location or direction of travel to a specific site for recovery.	800 ft protected water boom 4 marine anchor system 1 shoreline anchor system Testing Date	2 shore responders 1 response boats 3 boat responders N Tested	Tend through tidal changes. Deploy boom as depicted to divert incoming oil to the collection site. Anchor every 200-300'. Adjust angle as necessary to reduce entrainment. Set up shoreside recovery and tend throughout tide. Deploy shoreside anchor first.		
DV-01c	Redirect spilled oil from one location or direction of travel to a specific site for recovery.	700 ft protected water boom 4 marine anchor system 1 shoreline anchor system Testing Date	2 shore responders 1 response boats 3 boat responders N Tested	Tend through tidal changes. Deploy boom as depicted to divert incoming oil to the collection site. Anchor every 200-300'. Adjust angle as necessary to reduce entrainment. Set up shoreside recovery and tend throughout tide. Deploy shoreside anchor first.		
DV-01d	Redirect spilled oil from one location or direction of travel to a specific site for recovery.	700 ft protected water boom 4 marine anchor system 1 shoreline anchor system Testing Date	2 shore responders 1 response boats 3 boat responders N Tested	Tend through tidal changes. Deploy boom as depicted to divert incoming oil to the collection site. Anchor every 200-300'. Adjust angle as necessary to reduce entrainment. Set up shoreside recovery and tend throughout tide. Deploy shoreside anchor first.		
PR-02	Remove spilled oil by collecting it in a sorbent material	3800 ft sorbent boom 3800 ft sorbent pom-poms 109 anchor stakes N/A Testing Date	2 shore responders Tested	Place and stake snare or sorbent boom in areas that are likely to pool and collect oil and across the mouths of the streams and intertidal areas. Use snare boom for persistent oils and sorbent boom for non-persistent oils. Approach the streams and intertidal areas on rising tide. Replace as necessary to maximize oil recovery.		
PR-02	Remove spilled oil by collecting it in a sorbent material	1750 ft sorbent boom 1750 ft sorbent pom-poms 50 anchor stakes	2 shore responders	Place and stake snare or sorbent boom in areas that are likely to pool and collect oil and across the mouths of the streams and intertidal areas. Use snare boom for persistent oils and sorbent boom for non-persistent oils. Approach the streams and intertidal areas on rising tide. Replace as necessary to maximize oil recovery.		
PR-02	Remove spilled oil by collecting it in a sorbent material	N/A Testing Date 2900 ft sorbent boom 2900 ft sorbent pom-poms 83 anchor stakes N/A Testing Date	Tested 2 shore responders Tested	Place and stake snare or sorbent boom in areas that are likely to pool and collect oil ar across the mouths of the streams and intertidal areas. Use snare boom for persistent oils and sorbent boom for non-persistent oils. Approach the streams and intertidal areas on rising tide. Replace as necessary to maximize oil recovery.		
FO-03	Contain and recover spilled oil on the water in the offshore & nearshore environment	1 or more onwater skimming systems N/A Testing Date	Tested	Deploy on-water recovery task force(s) in configuration suitable for types of vessels used and sea conditions, with skimming system(s) and temporary storage for recovered oil and water. Location not exact, will move to chase oil.		
SR-04	Remove spilled oil that has been diverted to a designated recovery site accessible from	4 skimming system 4 storage tank or bladder 4 hoses, pumps, fittings N/A Testing Date	2 shore responders Tested	Set up shoreside recovery tactic at general location depicted on map. Some access points located at private residences. Access may be difficult.		


Geographic Response Strategy Red Brook Harbor System BB31

31 1 37					
Local contacts					
Bourne Fire Department	(508) 759-4412				
Bourne DNR	(508) 759-0600				
Massachusetts Dept. of Fish and Wildlife	(508) 792-7270				
The Coalition for Buzzards Bay	(508) 999-6363				

N. C.
Northern p



Northern portion of system looking north at low tide on 29 May 2004. (RPI photo)





Southern portion of system looking south. (RPI photo)

Special Considerations & Navigational Hazards

Vessel operators should have local knowledge.