

Tactics Legend


- DF** Deflection Booming
- DV** Diversion Booming
- EX** Exclusion Booming
- FO** Free Oil Recovery
- PR** Passive Recovery
- SR** Shoreside Recovery
- S** Staging Area
-  Boat Ramp
- BB** Beach Berm
- TG** Tide Gate
-  Protected-Water Boom
-  Open-Water Boom
-  Snare/ Sorbent Boom

Equipment - All Tactics

Boom(ft)	2500
Marine anchors	13
Shore anchors	8
Sorbent Boom(ft)	0
FO Recovery Sys	0
Shore Responders	2
Boat Responders	6
Boats	2

Version

10/13/2022



Response Trailer, Tactics Deployment, and Responder Safety Information






A total of **3** state response trailers are required to implement all the tactics in this GRS. Responders should always consider on-scene conditions before deploying GRP tactics. Tactics may not be safe or effective under certain conditions. Responder safety should always be the first priority.

Location

**Latitude:** 41°47'8" N  
**Longitude:** 71°6'57" W  
**NOAA Chart #** 13226

**Geographic Response Strategy**

**Assonnet River MHB09**

<b>Tactic #</b>	<b>Purpose</b>	<b>Response Equipment</b>	<b>Deployment Resources</b>	<b>Deployment Notes</b>
<b>DV-01</b> 	Redirect spilled oil from one location or direction of travel to a specific site for recovery.	1200 ft protected water boom 6 marine anchor system 4 shoreline anchor system	2 shore responders 2 response boats 6 boat responders	Tend through tidal changes. Deploy boom as depicted to divert incoming oil to the collection site. Anchor every 200-300'. Adjust angle as necessary to reduce entrainment. Set up shoreside recovery and tend throughout tide. Deploy shoreside anchor first.
		Testing Date	N Tested	
<b>DF-02a</b> 	Direct spilled oil away from a location to be protected or to change the course of the slick.	600 ft protected water boom 3 marine anchor system 4 shoreline anchor system	2 shore responders 2 response boats 6 boat responders	Tend through tidal changes. Deploy boom as depicted to deflect incoming oil away from sensitive areas. Anchor every 200-300'. Deploy shoreside anchor first. Alternate deployment with tide - reset during slack.
		Testing Date	N Tested	
<b>DF-02b</b> 	Direct spilled oil away from a location to be protected or to change the course of the slick.	300 ft protected water boom 2 marine anchor system 4 shoreline anchor system	2 shore responders 2 response boats 6 boat responders	Tend through tidal changes. Deploy boom as depicted to deflect incoming oil away from sensitive areas. Anchor every 200-300'. Deploy shoreside anchor first. Alternate deployment with tide - reset during slack.
		Testing Date	N Tested	
<b>EX-03</b> 	Prohibit oil slicks from entering a sensitive area	400 ft protected water boom 2 marine anchor system 4 shoreline anchor system	2 shore responders 1 response boats 3 boat responders	Tend through tidal changes. Deploy boom as depicted to exclude oil from sensitive areas. Anchor every 200-300'. Not tide dependent. Deploy shoreside anchor first. Readjust boom angle as needed to reduce entrainment
		10/26/17 Testing Date	Y Tested	
<b>SR-04</b> 	Remove spilled oil that has been diverted to a designated recovery site accessible from shore	3 skimming system 3 storage tank or bladder 3 hoses, pumps, fittings	2 shore responders	Set up shoreside recovery tactic at general location depicted on map. Some access points located at private residences. Access may be difficult.
		N/A Testing Date	Tested	

Local contacts

Freetown Fire Department	<a href="tel:508-763-4828">508-763-4828</a>
Freetown Harbormaster	<a href="tel:508-644-2202">508-644-2202</a>
Freetown Conservation Commission	<a href="tel:508-644-3691">508-644-3691</a> x7
Freetown EMA/LEPC	<a href="tel:508-644-2200">508-644-2200</a>
Berkley Fire Department	<a href="tel:508-822-7516">508-822-7516</a>
Berkley Harbormaster (Berkley PD)	<a href="tel:508-822-7040">508-822-7040</a>
Berkley Conservation Commission	<a href="tel:508-828-2682">508-828-2682</a>
Fall River Fire Department	<a href="tel:508-675-7411">508-675-7411</a>
Fall River Harbormaster	<a href="tel:508-324-2019">508-324-2019</a>
Fall River Conservation Commission	<a href="tel:508-324-2340">508-324-2340</a>



*Conspiracy Island and entrance to Assonet River (Site of DV-01 and DF-02a)*

Resources Protected

Marine Mammals	None identified
Fish	Anadromous, Finfish
Invertebrates	None identified
Birds	None identified
Threat/End. Species	None identified
Cultural	None identified
Subsistence	Fish
Human Use	None identified
Commercial Fishing	None identified
Land Management	Wild and Scenic River
Coastal Habitat	Marsh/Swamp, Riprap, Tidal Flats



*Small cove at Assonet River (DF-01b)*

Special Considerations & Navigational Hazards

Vessel operators should have local knowledge.