

Geographic Response Strategy Gloucester Outer Harbor NS19						
Tactic #	Purpose	Response Equipment	Deployment Resources	Deployment Notes		
DV-01a	Redirect spilled oil from one location or direction of travel to a specific site for recovery.	1200 ft open water boom 6 marine anchor system 2 shoreline anchor system Testing Date	2 shore responders 2 response boats 6 boat responders N Tested	Tend through tidal changes. Deploy boom as depicted to divert incoming oil to the collection site. Anchor every 200-300'. Adjust angle as necessary to reduce entrainment. Set up shoreside recovery and tend throughout tide. Deploy shoreside anchor first. 36" boom staged in New Bedford and MMA. 42" boom staged at USCG Base Cape Cod. Contact MassDEP to access.		
DV-01b	Redirect spilled oil from one location or direction of travel to a specific site for recovery.	1200 ft open water boom 1 marine anchor system 2 shoreline anchor system Testing Date	2 shore responders 2 response boats 6 boat responders N Tested	Tend through tidal changes. Deploy boom as depicted to divert incoming oil to the collection site. Anchor every 200-300'. Adjust angle as necessary to reduce entrainment. Set up shoreside recovery and tend throughout tide. Deploy shoreside anchor first. 36" boom staged in New Bedford and MMA. 42" boom staged at USCG Base Cape Cod. Contact MassDEP to access.		
EX-02a	Prohibit oil slicks from entering a sensitive area	700 ft protected water boom 4 marine anchor system 4 shoreline anchor system Testing Date	2 shore responders 1 response boats 3 boat responders N Tested	Tend through tidal changes. Deploy boom as depicted to exclude oil from sensitive areas. Anchor every 200-300'. Not tide dependent. Deploy shoreside anchor first.		
EX-02b	Prohibit oil slicks from entering a sensitive area	1100 ft protected water boom 6 marine anchor system 4 shoreline anchor system Testing Date	2 shore responders 2 response boats 6 boat responders N Tested	Tend through tidal changes. Deploy boom as depicted to exclude oil from sensitive areas. Anchor every 200-300'. Not tide dependent. Deploy shoreside anchor first.		
FO-03	Contain and recover spilled oil on the water in the offshore & nearshore environment	1 or more onwater skimming systems N/A Testing Date	Tested	Deploy on-water recovery task force(s) in configuration suitable for types of vessels used and sea conditions, with skimming system(s) and temporary storage for recovered oil and water. Location not exact, will move to chase oil.		
SR-04	Remove spilled oil that has been diverted to a designated recovery site accessible from	2 skimming system 2 storage tank or bladder 2 hoses, pumps, fittings N/A Testing Date	2 shore responders Tested	Set up shoreside recovery tactic at general location depicted on map. Some access points located at private residences. Access may be difficult.		

Geographic Response Strategy Gloucester Outer Harbor NS19

6				
Local contacts				
Gloucester Fire Department	978-281-9760			
Gloucester Harbormaster	978-282-3012			
Gloucester Shellfish Constable	<u>978-281-9781</u>			
Mass Bays Estuary Assn	<u>978-374-0519</u>			
U.S.C.G. Station Gloucester	978-283-0705			
U.S.C.G. Station Gloucester	9/8-283-0/03			
Mass Division of Marine Fisheries	617-626-1520			
	<u>01. 110 1515</u>			
Environmental Police	800-632-8075			
	· · · · · · · · · · · · · · · · · · ·			

Resources Protected				
Marine Mammals	None identified			
Fish	None identified			
Invertebrates	None identified			
Birds	Shorebirds, Nesting Sites			
Threat/End. Species	None identified			
Cultural	None identified			
Subsistence	None identified			
Human Use	Beach, Marina, Recreational Fishing, Port/Harbor, Coast Guard			
Commercial Fishing	None identified			
Land Management	None identified			
Coastal Habitiat	Rocky Shore, Beach, Tidal Flats			



Site of DV-01a at Niles Beach looking northwest (26 June 2009 photo)



Site access at Flat Cove Landing at low tide looking northwest (26 June 2009 photo)

Special Considerations & Navigational Hazards

Tide range 7-11 ft. Large number of commercial and recreational vessels. Broadcast channel closures via Local Notice to Mariners. Vessel operators should have local knowledge.